




STALP B.A. - 25x25 (4 buc.)

Scara 1:20



CENTURA B.A.

Scara 1:20



Marca	Diametru	Lungimi	Nr. buc.	OB 37		PC 52
				Ø 6	Ø 8	Ø 12
①	12	2.40	16			38.4
②	8	0.90	44		39.6	
③	12	11.30	4			45.2
④	6	0.95	44	41.8		
⑤	6	1.60	18	28.8		
Lungimi/Ø [m]				70.6	39.6	82
Greutate/ml [kg/ml]				0.222	0.395	0.888
Greutate/Ø [m]				15.7	15.6	74.2
Total [kg]				106		

CATEGORIA DE IMPORTANTA	'C'
CLASA DE IMPORTANTA	IV
"Cod de proiectare seismica Partea I - Prevederi de proiectare pentru cladiri" - P100-1/2013	
Clasa de importanta	II (γ=1.2)

VERIFICATOR/EXPERT	NUME	SEMNATURA	CERINTA	REFERAT/EXPERTIZA NR./DATA	
Proiectant general:	S.C.ANDERSEN S.R.L.			Beneficiar:	Proiect nr. 17/2016
Proiectant specialitate:	S.C. YDA PROIECT CONSULTING S.R.L. Str. Sucidava, Nr.7; e-mail: ydaproiect@yahoo.com; tel/fax 0232216949; 0740/236599; CUI RO33022684			COMUNA BALESTI	
SPECIFICATIE	NUME	SEMNATURA	Scara: 1:20	Investitie: Extindere sistem de alimentare cu apa si marire capacitate sursa sistem existent in comuna Balesti, Jud. Gorj	Faza: PTh+ D.T.A.C.
SEF PROIECT	ing. Sticea Andrei				
PROIECTAT	ing. Besleaga Cezar		Data: 2016	Titlu plansa:	Plansa nr: R2
DESENAT	ing. Apopei Maria				
VERIFICAT	FLORIN CHIRILA			ARMARE STALPI SI CENTURI LA CABINA PUT FORAT	